



YAMAHA MOTORSPORTS ADVENTURE READY

Yamaha Motorsports represents a legacy of excellence honed through competition, perfected on circuits and tracks around the world, and revered by generations of dedicated Yamaha enthusiasts who enjoy exploring their own abilities and finding their own adventures. Whether it's the adrenaline-pumping performance of our Motorcycles, the category-dominating excellence of our ATVs or the rugged, terrain-conquering capabilities of our Side-by-Sides, Yamaha embodies the sense of exploration and fun-loving spirit that makes each ride an unforgettable experience.





YAMAHA DEALERS AND CUSTOMERS SUPPORTING ACCESS TO LAND FOR WORK AND PLAY

The Yamaha Outdoor Access Initiative is dedicated to those who work and play outdoors including, but not limited to, those who rely on off-highway vehicles (OHVs) to ride, camp, hunt or fish.

Supporting the outdoor enthusiast, the Yamaha Outdoor Access Initiative's mission is to provide practical support for efforts that promote safe, responsible use of OHVs, educate the public on proper recreational land use and wildlife conservation practices, and protect appropriate and sustainable access to public lands.

Each quarter, Yamaha accepts applications from non-profit or tax-exempt groups (clubs & associations), public riding areas (local, state and federal), outdoor enthusiast associations and land conservation organizations, and communities with an interest in protecting, improving, expanding and/or maintaining access for safe, responsible and sustainable use by motorized off-road vehicles. Our committee will review each application and award funds to deserving projects.

YAMAHA GENUINE PARTS & ACCESSORIES

When your Yamaha needs scheduled service, maintenance, repair or the perfect accessory, nothing can match the quality and fit of Yamaha Genuine Parts & Accessories. Genuine parts are just that, the same high-quality parts and same proven performance as the original equipment specified for your Yamaha. And when it's time to personalize, Yamaha Genuine Accessories are developed hand-in-hand with the same team of advanced engineers who designed your Yamaha to deliver a level of fit, finish and performance the aftermarket can't match. All come backed by one of the most extensive and rigorous testing programs in the industry to ensure they meet Yamaha's unsurpassed standards for reliability and provide you the peace-of-mind in knowing you've chosen the best equipment for your Yamaha.







998cc, liquid-cooled inline 4-cylinder DOHC; 4-valves per cylinder

TRANSMISSION

6-speed; wet multiplate assist and slipper clutch

FUEL CAPACITY

4.5 gal

SUSPENSION - FRONT

43mm Öhlins® Electronic Racing Suspension NPX fork, fully adjustable; 4.7-in travel

SUSPENSION - REAR

Öhlins® Electronic Racing Suspension single shock, fully adjustable; 4.7-in travel

TIRES - FRONT

120/70ZR17 Bridgestone® BATTLAX RACING STREET RS11F

TIRES - REAR

200/55ZR17 Bridgestone® BATTLAX RACING STREET RS11R

FEATURES

Digital Superbike Technology
Dynamic Öhlins® Electronic Racing Suspension
Factory Level GPS Data Logging
MotoGP®-Derived Crossplane Crankshaft Engine
Next Level R-Series Evolution
Sharp Styling with Unique R1M Features
Superbike Brakes & Tires

998cc, liquid-cooled inline 4 cylinder DOHC; 4-valves per cylinder

TRANSMISSION

6-speed; wet multiplate assist and slipper clutch

FUEL CAPACITY

4.5 gal

SUSPENSION - FRONT

43mm KYB® inverted fork, fully adjustable; 4.7-in travel

SUSPENSION - REAR

KYB® single shock, fully adjustable; 4.7-in travel

TIRES - FRONT

120/70ZR17 Bridgestone® BATTLAX RACING STREET RS11F

TIRES - REAR

190/55ZR17 Bridgestone® BATTLAX RACING STREET RS11R

FEATURES

All-LED Lighting
Full-Color Instruments
Digital Superbike Technology
Legendary R-Series Handling
MotoGP®-Derived Crossplane Crankshaft Engine
Next Level R-Series Evolution
Sharp, Sleek Styling
Superbike Brakes & Tires







689cc liquid-cooled, 4-stroke, DOHC inline twin-cylinder; 4-valves per cylinder

TRANSMISSION

6-speed; wet multiplate assist and slipper clutch

FUEL CAPACITY

SUSPENSION - FRONT

Telescopic fork; 5.1-in travel, adjustable for preload, rebound and compression

SUSPENSION - REAR

Linked-type Monocross shock, adjustable preload and rebound; 5.1-in travel

TIRES - FRONT 120/70ZR17 Bridgestone® BATTLAX HYPERSPORT S22F

TIRES - REAR

180/55ZR17 Bridgestone® BATTLAX HYPERSPORT S22R

FEATURES

Premium LED Lighting Including Adaptive Bi-Functional LED Headlight Refined Sportbike Ergonomics Sleek R-Series Styling All-New A&S Clutch Sporty New Suspension Thin Proportions for Perfect Control Torquey CP2 Powerplant



321cc liquid-cooled, 4-stroke, DOHC inline twin-cylinder; 4-valves per cylinder

TRANSMISSION

6-speed; multiplate wet clutch

FUEL CAPACITY

3.7 gal

SUSPENSION/FRONT

Inverted telescopic fork; 5.1-in travel

SUSPENSION/REAR

Monocross single shock, adjustable preload; 4.9- in travel

TIRES/FRONT

110/70-17 Dunlop® Sportmax GPR-300F

TIRES/REAR

140/70-17 Dunlop® Sportmax GPR-300R

FEATURES

Digital Instrumentation
LED Lighting
Refined Sportbike Ergonomics
Sleek R-Series Styling
Advanced Suspension
Compact Chassis
High-Revving Supersport Engine
Practical Performance



YZF-RI FENDER ELIMINATOR

The fender eliminator pulls the license plate up close to the tail section for a nice, clean look which is also significantly smaller than the stock setup.

SKU #2CR-F16E0-V0-00

YZF-R3 INTEGRATED FRAME SLIDERS

The YZF-R3 Integrated Frame Sliders help protect the frame and bodywork against damage in a tip over. Comes in a set of two. Requires no special tools for install.

SKU #BS7-F11D0-V0-00



YZF-R7 QUICK SHIFTER

The GYTR® Quick Shifter allows for clutch-less upshifts; eliminating the need to come off the throttle. This feature enhances acceleration and reduces chassis movement.

SKU #BEB-E81A0-V0-00



YZF-RI FRAME SLIDERS

The YZF-R1 Frame Sliders feature a stealthy, all-black design to match the styling of your bike and help minimize frame and body damage in the event of an accidental tip over.

SKU #B5Y-F11D0-V0-00

YZF-RI RADIATOR/ OIL COOLER GUARD

Protects from rocks and other debris which can puncture your radiator or oil cooler causing an expensive repair or a potentially dangerous situation should coolant or oil get on your tires.

SKU #2CR-E24D0-V0-00







998cc, liquid-cooled DOHC inline 4-cylinder; 16 valves

TRANSMISSION

6-speed; wet multiplate assist and slipper clutch

FUEL CAPACITY

4.5 gal

SUSPENSION/FRONT

43mm Öhlins® electronically controlled suspension, fully adjustable; 4.7-in travel

SUSPENSION/REAR

Öhlins® electronically controlled suspension, fully adjustable; 4.7-in travel

TIRES/FRONT

120/70ZR17 Bridgestone® BATTLAX Hypersport S22

TIRES/REAR

190/55ZR17 Bridgestone® BATTLAX Hypersport S22

FEATURES

Exclusive SP Specification
High-Performance Full LED Lighting
'High-Torque' 998cc CP4 Engine
Acoustic Amplifier Grilles
Advanced Öhlins® Semi-Active Suspension System
Advanced Quick Shift System (QSS)
Advanced Ride-By-Wire Throttle with APSG
Braided Steel Brake Lines Standard
Exclusive SP Styling
Premium 4.2-Inch Full-Color TFT Display
Six-Axis IMU with Rider Aids





998cc, liquid-cooled DOHC inline 4-cylinder; 16 valves

TRANSMISSION

6-speed; wet multiplate assist and slipper clutch

FUEL CAPACITY

4.5 gal

SUSPENSION/FRONT

43mm KYB® inverted fork, fully adjustable; 4.7-in travel

SUSPENSION/REAR

KYB® piggyback shock, fully adjustable; 4.7-in travel

TIRES/FRONT

120/70ZR17 Bridgestone® BATTLAX Hypersport S22

TIRES/REAR

190/55ZR17 Bridgestone® BATTLAX Hypersport S22

FEATURES

High-Performance Full LED Lighting
Rider-Focused Ergonomics
Acoustic Amplifier Grilles
Advanced Quick Shift System (QSS)
Advanced Ride-By-Wire Throttle with APSG
Compact, Aggressive MT Styling
Cutting-Edge Chassis
Full-Color 4.2-Inch TFT Display
Six-Axis IMU with Rider Aids
Updated 'High-Torque' 998cc CP4 Engine

890cc liquid-cooled, DOHC, inline 3-cylinder; 4 valves per cylinder

TRANSMISSION

6-speed; multiplate assist and slipper clutch

FUEL CAPACITY

3.7 gal

SUSPENSION/FRONT

41mm KYB® inverted fork, adjustable preload, high/low speed compression and rebound; 5.1-in travel

SUSPENSION/REAR

Öhlins® single shock, adjustable preload, compression and rebound damping; 4.8-in travel

TIRES/FRONT
120/70ZR17M/C

TIRES/REAR 180/55ZR17M/C

FEATURES

Full LED Lighting
Next-Generation Design
Unique SP Styling
Advanced Six-Axis IMU
Cruise Control
Full-Color 3.5-inch TFT Instrument Display
Lightweight Aluminum Frame
Powerful 890cc Liquid-Cooled Three-Cylinder
DOHC Fuel-Injected Engine
Premium KYB® & Öhlins® Suspension





890cc liquid-cooled, DOHC, inline 3-cylinder; 4 valves per cylinder

TRANSMISSION

6-speed; multiplate assist and slipper clutch

FUEL CAPACITY

3.7 gal

SUSPENSION/FRONT

41mm inverted fork, adjustable preload, compression and rebound; 5.1-in travel

SUSPENSION/REAR

Single shock, adjustable preload and rebound damping; 4.8-in travel

TIRES/FRONT

120/70ZR17M/C

TIRES/REAR

180/55ZR17M/C

FEATURES

Full LED Lighting
Next-Generation Design
Advanced Six-Axis IMU
Full-Color 3.5-inch TFT Instrument Display
Lightweight Aluminum Frame
Next-Generation Design
Powerful 890cc Liquid-Cooled Three-Cylinder
DOHC Fuel-Injected Engine

689cc liquid-cooled, DOHC, 4-stroke, 4-valves per cylinder

TRANSMISSION

6-speed; wet multiplate clutch

FUEL CAPACITY

3.7 gal

SUSPENSION/FRONT

41mm telescopic fork; 5.1-in travel

SUSPENSION/REAR

Single shock, adjustable preload and rebound damping; 5.1-in travel

TIRES/FRONT

120/70ZR17

TIRES/REAR

180/55ZR17

FEATURES

LED Projector Lighting
Next-Generation Design
Advanced Twin-Cylinder Engine
Compact Frame Design
New Full-Color 5-inch TFT Display







321cc liquid-cooled DOHC 4-stroke; 4 valves

TRANSMISSION

Constant mesh 6-speed; wet multiplate clutch

FUEL CAPACITY

SUSPENSION/FRONT

37mm KYB® inverted fork; 5.1-in travel

SUSPENSION/REAR

Single shock; 7-step preload adjustable, 4.9-in travel

TIRES/FRONT 110/70R17

TIRES/REAR 140/70R17

FEATURES

Digital LCD Instrumentation Dynamic Mass Forward Design Ergonomic Riding Position Stylish LED Turn Signals 37mm KYB® Inverted Front Fork Aggressive Next-Gen MT Design Dual Position Lights with Singular LED Headlight Smooth, Linear Power Delivery

HYPER NAKED ACCESSORIES





TOP CASE COLORED PLATE SET

SKU # BBW-F41G0-V0-00

Yamaha Top Case Color Plates elevate

the look of your 45L & 34L Top Case.

45L TOP CASE

The Yamaha 45L Top Case is a high-quality top case that provides additional storage capacity when commuting or touring.

SKU #BBW-F84A8-T0-00



34L TOP CASE BACKREST PAD

The 34L Top Case Backrest Pad is Integrated design to provide additional comfort for your passenger.

SKU #BBW-F84U0-V0-00



Integrated design to provide additional comfort for your passenger. Designed for easy installation and to complement your 45L Yamaha Top Case (sold separately).

SKU #BBW-F84U0-T0-00





34L TOP CASE

The Yamaha 34L Top Case is a high-quality top case that provides additional storage capacity when commuting or touring.

SKU #BBW-F84A8-V0-00



58-cubic-inch (942cc) air-cooled SOHC V-twin; 4 valves

TRANSMISSION

5-speed; multiplate wet clutch

FUEL CAPACITY

3.4 gal

SUSPENSION/FRONT

Telescopic fork, 4.7-in travel

SUSPENSION/REAR

Dual piggyback shocks, 2.8-in travel

TIRES/FRONT

100/90-19 Bridgestone® EXEDRA G721 F

TIRES/REAR

150/80-16 Bridgestone® EXEDRA G722 R

FEATURES

Bobber-Style Seat
Modern Lighting
Real Steel Fenders
Slick Instruments
Compact, Stable Chassis
Rider-Focused Engine
Unique Bolt Persona
Urban Performance Styling





890cc liquid-cooled DOHC inline 3-cylinder 4-stroke; 12 valves

TRANSMISSION

6-speed; multiplate assist-and-slipper wet clutch

FUEL CAPACITY

3.7 gal

SUSPENSION/FRONT

41mm inverted fork, adjustable preload, compression and rebound; 5.1-in travel

SUSPENSION/REAR

Single shock, adjustable preload and rebound damping; 5.4-in travel

TIRES/FRONT

120/70ZR17 Bridgestone® Battlax Hypersport S22

TIRES/REAR

180/55ZR17 Bridgestone® Battlax Hypersport S22

FEATURES

Advanced Up & Down Quick Shift System Full-Color 3.5-inch TFT Instrument Display Full LED Lighting Sporty, All-Purpose Ergonomics Standard Cruise Control Unique XSR900 Detailing CF Die-Cast Aluminum Frame Powerful 890cc Yamaha CP3 Engine Retro Influence, Modern Style Sophisticated Six-Axis IMU with Rider Aids

Tuned Triple Soundtrack

Yamaha Exclusive Lightweight Spinforged Wheels

689cc liquid-cooled DOHC inline twin cylinder; 8 valves

TRANSMISSION

Constant mesh 6-speed; multiplate wet clutch

FUEL CAPACITY

3.7 gal

SUSPENSION/FRONT

41mm telescopic fork; 5.1-in travel

SUSPENSION/REAR

Single shock, adjustable preload; 5.1-in travel

TIRES/FRONT

120/70ZR17 Michelin® Road 5

TIRES/REAR

180/55ZR17 Michelin® Road 5

FEATURES

Advanced Instrumentation
Casual but Sporty Ergonomics
Classically Styled Modern LED Lighting
Stylish & Ergonomic Fuel Tank
Unique XSR700 Detailing
Advanced Crossplane Crankshaft Concept Engine
Compact, Sporty Chassis
Powerful Braking with ABS
Standout Style









15-cubic-inch (249cc) air-cooled, SOHC 60° V-twin, 2 valves

TRANSMISSION

5-speed; multiplate wet clutch

FUEL CAPACITY

2.5 gal / CA model 2.4 gal

SUSPENSION/FRONT

33mm fork; 5.5-in travel

SUSPENSION/REAR

Dual shocks, adjustable preload; 3.9-in travel

TIRES/FRONT

3.00-18 CHENG SHIN C-916

TIRES/REAR

130/90-15 CHENG SHIN C-915

FEATURES

Big Bike Style
Forward Mount Controls
Generous Fuel Range
Open Riding Position
Stylish Fenders
Strong Brakes
Ultra-Efficient Engine
Unique V-twin Performance





The tough aluminum plate helps protect the bottom of the engine from small rocks and other road debris.

SKU #BL3-F14B0-V0-00



XSR700 FORK GAITERS

Protect your investment from road debris while contributing to the classic "Scrambler" look of the XSR700.

SKU #B2G-F31K0-V0-00

XSR700 REAR RACK

High-quality, steel constructed rear rack mounts behind the accessory Solo Seat, allowing for additional light carrying cargo capacity.

SKU #B2G-F48D0-V0-00

XSR700 RADIATOR GUARD

This Yamaha radiator guard provides added protection from rocks and other road debris. Also adds a custom look to the radiator and front end.

SKU #B2G-E24D0-V0-00

XSR700 SOLO SEAT

Style and comfort for the solo rider, the XSR700 Solo Seat replaces original stock seat and provides a distinctive, classic look and feel without sacrificing comfort.

It's the perfect choice for customizing your bike with a solo rider setup. Creates a vintage vibe that perfectly







1,199cc liquid-cooled inline 2-cylinder; DOHC; 8 valves

TRANSMISSION

6-speed; multi-plate wet clutch

FUEL CAPACITY

6.1 gal

SUSPENSION/FRONT

43mm inverted fork; electronically adjustable compression and rebound damping; 7.5-in travel

SUSPENSION/REAR

Monoshock; electronically adjustable preload and rebound damping; 7.5-in of travel

TIRES/FRONT

110/80R19

TIRES/REAR

150/70R17

FEATURES

Beefy Controls
Luggage Ready
Standard Centerstand
Advanced Fuel Injection
All-Purpose Drivetrain
Assured Braking
Compact & Powerful Engine
Electronic Suspension
Traction Control



689cc liquid-cooled DOHC 4-stroke; 8 valves

TRANSMISSION

6-speed; wet multiplate clutch

FUEL CAPACITY

4.2 gal

SUSPENSION/FRONT

43mm inverted fork, fully-adjustable; 8.3-in travel

SUSPENSION/REAR

Single shock, adjustable preload (with remote adjuster) and rebound damping; 7.9-in travel

TIRES/FRONT

90/90R21 Pirelli® Scorpion® Rally STR

TIRES/REAR

150/70R18 Pirelli® Scorpion® Rally STR

FEATURES

New Yamaha Y-Connect Smartphone Connectivity
Advanced Twin-Cylinder Engine
Adventure-Focused Ergonomics
New ABS Modes
New Five-Inch Color TFT Display
Rally-Bred LED Lighting
High Performance Brembo Brake Calipers
Yamaha Quickshift Capability

ADVENTURE TOURING ACCESSORIES





TÉNÉRÉ 700/SUPER TÉNÉRÉ TOP CASE

Allows safe and secure storage of luggage on a commute to work or adventure.

SKU #BW3-F84A8-V0-00



TÉNÉRÉ 700 ENGINE GUARD

Heavy-duty Ténéré 700 specific guards cover and protect critical engine and body components.

SKU #BW3-F43B0-V0-00

TÉNÉRÉ 700 QUICK SHIFTER

The Ténéré 700 Quick Shifter Kit provides seamless clutch-less upshifts which improves acceleration.


SKU #BNW-E81A0-V0-00



Specially designed cases for Ténéré 700 enhance the adventure functionality by allowing safe and secure storage of luggage on a commute to work or weekend adventure.

SKU #BW3-F84B8-T0-00 (Right) SKU #BW3-F84B8-V0-00 (Left)







890cc liquid-cooled, DOHC, inline 3-cylinder; 4 valves per cylinder

TRANSMISSION

6-speed; multiplate assist and slipper clutch

FUEL CAPACITY 5.0 gal

SUSPENSION/FRONT

KYB® 41mm inverted fork, electronically adjustable with preload adjustability; 5.1-in travel

SUSPENSION/REAR

KYB® single shock, electronically adjustable with remote preload adjustability; 5.4-in travel

TIRES/FRONT 120/70ZR17

TIRES/REAR 180/55ZR17

FEATURES

Integrated KYB® Semi-Active Suspension
New Adaptive Cruise Control
New High Luminosity TFT Display
New Radar-Linked Unified Brake System
New Third Generation Quickshifter
Powerful 890cc Liquid-Cooled Three-Cylinder
DOHC Fuel-Injected Engine
Six-Axis IMU
Advanced Smartphone Connectivity





1,298cc liquid-cooled DOHC inline 4-cylinder; 16 valves

TRANSMISSION

6-speed; multiplate assist and slipper clutch

FUEL CAPACITY

6.6 gal

SUSPENSION/FRONT

43mm inverted fork with electronically adjustable rebound and compression damping; 5.3-in travel

SUSPENSION/REAR

Single shock with electronically adjustable spring preload, rebound and compression damping; 4.9-in travel

TIRES/FRONT

120/70ZR17

TIRES/REAR

180/55ZR17

FEATURES

Fairing-Mounted Storage
Integrated Luggage
Standard Heated Grips
Adjustability for Rider & Passenger Comfort
Advanced YCC-T Engine Control & Rider Aids
Lean Angle-Sensitive LED Lighting System
Six-Speed Transmission

SPORT TOURING ACCESSORIES





The Yamaha 34L Top Case is a high-quality top case that provides additional storage capacity when commuting or touring.

SKU #BBW-F84A8-V0-00

45L TOP CASE BACKREST PAD

Integrated design to provide additional comfort for your passenger. Designed for easy installation and to complement your Yamaha Top Case (sold separately).

SKU #BBW-F84U0-T0-00



The Yamaha 45L Top Case is a high-quality top case that provides additional storage capacity when commuting or touring.

SKU #BBW-F84A8-T0-00



341 The Intercon

34L TOP CASE BACKREST PAD

The 34L Top Case Backrest Pad is Integrated design to provide additional comfort for your passenger.

SKU #BBW-F84U0-V0-00



Yamaha Top Case Color Plates elevate the look of your 45L & 34L Top Case.

SKU #BBW-F41G0-V0-00





249cc air-cooled SOHC 4-stroke single; 2 valves

TRANSMISSION

5-speed; multiplate wet clutch

FUEL CAPACITY

2.5 gal / CA model, 2.2 gal

SUSPENSION/FRONT

35mm telescopic fork; 8.9-in travel

SUSPENSION/REAR

Single shock, adjustable preload; 7.1-in travel

TIRES/FRONT 2.75-21

TIRES/REAR 120/80-18

FEATURES

Advanced Long-Travel Suspension
Convenient Electric Start
Front & Rear Disc Brakes
Modern Fuel Injection
Advanced LCD Instruments
Bright Illumination
Comfortable Saddle
Dual Sport Lighting
Extended Fuel Range
Forest-Friendly Exhaust
Fork Protection
Modern Battery
Passenger-Ready

Protective Fenders





196cc air-cooled SOHC 4-stroke; 2 valves

TRANSMISSION

Constant-mesh 5-speed; multiplate wet clutch

FUEL CAPACITY

1.8 gal

SUSPENSION/FRONT

Telescopic fork; 6.3-in travel

SUSPENSION/REAR

Single shock; 5.9-in travel

TIRES/FRONT 130/80-18

TIRES/REAR 180/80-14

FEATURES

Electric Start Low Seat Height Terrain-Conquering Tires

Bright Illumination

Comfortable Saddle

Complete Instruments

Dual Sport Lighting

Fork Protection

Modern Battery

Passenger-Ready

Protective Fenders





292cc liquid-cooled 4-stroke, SOHC single cylinder; 4 valves

TRANSMISSION

Automatic CVT

FUEL CAPACITY

3.4 gal

SUSPENSION/FRONT

33mm telescopic fork; 4.3-in travel

SUSPENSION/REAR

Dual shocks; 3.1-in travel

TIRES/FRONT

120/70-15 Dunlop® Scoot Smart

TIRES/REAR

140/70-14 Dunlop® Scoot Smart

FEATURES

Adjustable Handlebar & Windscreen
All-Inclusive Storage
Distinctive New LED Lighting
Redesigned Seat
Smart Key System
New Full-Color 4.2-inch TFT Display
New Yamaha Y-Connect Smartphone Connectivity
Updated XMAX Styling
Sporty, Fuel Efficient Engine

125cc liquid-cooled, 4-stroke SOHC single; 4 valves

TRANSMISSION

V-Belt automatic

FUEL CAPACITY 1.6

SUSPENSION/FRONT

Telescopic upright fork with 3.2 in of travel

SUSPENSION/REAR

Dual shock absorber with swingarm with 3.1 inches of travel

TIRES/FRONT 120/70-12 51L

TIRES/REAR 130/70-12 56L

FEATURES

Modern Gauge Package
Plenty of Storage with USB Charging
Adjustable Asymmetrical Headlights
Automatic Convenience
Blue Core VVA Engine
Roomy, Step-Through Ergonomics
Rugged, Modern Design



SCOOTER ACCESSORIES



ZUMA 125 WINDSHIELD

Works with the Zuma 125 Hand Guards.

SKU #BJC-F83J0-V0-00



45L TOP CASE

The Yamaha 45L Top Case is a high-quality top case that provides additional storage capacity when commuting or touring.

SKU #BBW-F84A8-T0-00



45L TOP CASE BACKREST PAD

Integrated design to provide additional comfort for your passenger. Designed for easy installation and to complement your 45L Yamaha Top Case (sold separately).

SKU #BBW-F84U0-T0-00



Works with the Zuma 125 Windshield. Easy bolt-on installation.

SKU #BJC-F85F0-V0-00



XMAX REAR CARRIER BASE

The XMAX Rear Carrier Base pairs with the Top Case Mount Plate #BD5-F84X0-V0-00, sold separately, to enable installation of either the 45L or 34L Genuine Yamaha Top Case. This rear carrier is designed to integrate seamlessly with the XMAX's styling while retaining the passenger grab handle.

SKU #BKA-F48D0-V0-00







450cc liquid-cooled DOHC 4-stroke;

4 titanium valves

TRANSMISSION

5-speed; multiplate wet clutch

FUEL CAPACITY

1.6 gal

SUSPENSION/FRONT

KYB® spring-type fork with speed-sensitive damping; fully adjustable, 12.2-in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 12.4-in travel

TIRES/FRONT

80/100-21 Dunlop® Geomax MX33F

TIRES/REAR

120/80-19 Dunlop® Geomax MX33

FEATURES

Iconic Heritage YZ Styling
Adjustable Traction Control & Launch Control
Advanced Aluminum Bilateral Beam Frame
Class-Leading Suspension
Cutting-Edge Yamaha Power Tuner App
High Performance Braking System
Slim, Compact Body & Exceptional Ergonomics

450cc liquid-cooled DOHC 4-stroke;

4 titanium valves

TRANSMISSION

5-speed; multiplate wet clutch

FUEL CAPACITY

1.6 gal

SUSPENSION/FRONT

KYB® spring-type fork with speed-sensitive damping; fully adjustable, 12.2-in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 12.4-in travel

TIRES/FRONT

80/100-21 Dunlop® Geomax MX33F

TIRES/REAR

120/80-19 Dunlop® Geomax MX33

FEATURES

Adjustable Traction Control & Launch Control
Advanced Aluminum Bilateral Beam Frame
Class-Leading Suspension
Cutting-Edge Yamaha Power Tuner App
High Performance Braking System
Powerful 450cc Four-Stroke Engine
Slim, Compact Body & Exceptional Ergonomics





250cc liquid-cooled DOHC 4-stroke; 4 valves

TRANSMISSION

Constant-mesh 5-speed; multiplate wet clutch

FUEL CAPACITY

1.6 gal

SUSPENSION/FRONT

KYB® Speed-Sensitive System inverted fork; fully adjustable, 12.2-in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 12.3-in travel

TIRES/FRONT

80/100-21 Dunlop® Geomax MX33F

TIRES/REAR

110/90-19 Dunlop® Geomax MX33

FEATURES

All-New Aluminum Bilateral Beam Frame
Iconic Heritage YZ Styling
New Air Intake
New Traction Control & Launch Control
New Yamaha Power Tuner App
Revised Suspension Settings
Slimmer Body & Improved Ergos
Advanced 250cc Four-Stroke Engine
Class-Leading Suspension
High Performance Braking System





250cc liquid-cooled DOHC 4-stroke; 4 valves

TRANSMISSION

Constant-mesh 5-speed; multiplate wet clutch

FUEL CAPACITY

1.6 gal

SUSPENSION/FRONT

KYB® Speed-Sensitive System inverted fork; fully adjustable, 12.2-in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 12.3-in travel

TIRES/FRONT

80/100-21 Dunlop® Geomax MX33F

TIRES/REAR

110/90-19 Dunlop® Geomax MX33

FEATURES

All-New Aluminum Bilateral Beam Frame
New Air Intake
New Traction Control & Launch Control
New Yamaha Power Tuner App
Revised Suspension Settings
Slimmer Body & Improved Ergos
Advanced 250cc Four-Stroke Engine
Class-Leading Suspension
High Performance Braking System

249cc liquid-cooled 2-stroke; reed-valve inducted

TRANSMISSION

Constant-mesh 5-speed; multiplate wet clutch

FUEL CAPACITY

1.8 gal

SUSPENSION/FRONT

KYB® Speed-Sensitive System inverted fork; fully adjustable, 11.8-in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 12.4-in travel

TIRES/FRONT

80/100-21 Dunlop® Geomax MX33F

TIRES/REAR

110/90-19 Dunlop® Geomax MX33

FEATURES

Iconic 50th Anniversary Edition YZ Styling
Class-Leading KYB® Suspension
Confidence-Inspiring Ergonomics
Exhilarating Two-Stroke Power
High Performance Braking System
Lightweight Frame
Rider-Friendly Chassis
Race-Ready Features





249cc liquid-cooled 2-stroke; reed-valve inducted

TRANSMISSION

Constant-mesh 5-speed; multiplate wet clutch

FUEL CAPACITY

1.8 gal

SUSPENSION/FRONT

KYB® Speed-Sensitive System inverted fork; fully adjustable, 11.8-in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 12.4-in travel

TIRES/FRONT

80/100-21 Dunlop® Geomax MX33F

TIRES/REAR

110/90-19 Dunlop® Geomax MX33

FEATURES

Aggressive YZ Styling
Class-Leading KYB® Suspension
Confidence-Inspiring Ergonomics
Exhilarating Two-Stroke Power
High Performance Braking System
Lightweight Frame
Rider-Friendly Chassis
Race-Ready Features

125cc liquid-cooled 2-stroke; reed-valve inducted

TRANSMISSION

Constant-mesh 6-speed; multiplate wet clutch

FUEL CAPACITY

1.8 gal

SUSPENSION/FRONT

KYB® Speed-Sensitive System inverted fork; fully adjustable, 11.8-in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 12.4-in travel

TIRES/FRONT

80/100-21 Bridgestone® Battlecross X20F

TIRES/REAR

100/90-19 Bridgestone® Battlecross X20

FEATURES

Iconic 50th Anniversary Edition YZ Styling
Class-Leading KYB® Suspension
Confidence-Inspiring Ergonomics
High Performance Braking System
Perfect for Aspiring Motocrossers
Powerful Two-Stroke YZ125 Engine
Rider-Friendly Chassis
Race-Ready Features







125cc liquid-cooled 2-stroke; reed-valve inducted

TRANSMISSION

Constant-mesh 6-speed; multiplate wet clutch

FUEL CAPACITY

1.8 gal

SUSPENSION/FRONT

KYB® Speed-Sensitive System inverted fork; fully adjustable, 11.8-in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 12.4-in travel

TIRES/FRONT

80/100-21 Bridgestone® Battlecross X20F

TIRES/REAR

100/90-19 Bridgestone® Battlecross X20

FEATURES

Aggressive YZ Styling
Class-Leading KYB® Suspension
Confidence-Inspiring Ergonomics
High Performance Braking System
Powerful Two-Stroke YZ125 Engine
Rider-Friendly Chassis
Race-Ready Features

85cc liquid-cooled 2-stroke; reed-valve inducted

TRANSMISSION

6-speed; multiplate wet clutch

FUEL CAPACITY

1.3 gal

SUSPENSION/FRONT

KYB® inverted fork; fully adjustable, 10.8-in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 11.3-in travel

TIRES/FRONT

70/100-19 Dunlop® Geomax MX3SF

TIRES/REAR

90/100-16 Dunlop® Geomax MX3S

FEATURES

Fully-Adjustable Suspension
High-Quality Embedded Graphics
High-Spec Wheels & Brakes
Larger Front & Rear Wheel
Optimized Chassis Design
Performance-Minded Ergonomics
YPVS™ Two-Stroke Power
Adjustable Rider Ergonomics





85cc liquid-cooled 2-stroke; reed-valve inducted

TRANSMISSION

6-speed; multiplate wet clutch

FUEL CAPACITY

1.3 gal

SUSPENSION/FRONT

KYB® inverted fork; fully adjustable, 10.8-in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 11.1-in travel

TIRES/FRONT

70/100-17 Dunlop® Geomax MX3SF

TIRES/REAR

90/100-14 Dunlop® Geomax MX3S

FEATURES

Fully-Adjustable Suspension
High-Quality Embedded Graphics
High-Spec Wheels & Brakes
Optimized Chassis Design
Performance-Minded Ergonomics
YPVS™ Two-Stroke Power
Adjustable Rider Ergonomics





65cc liquid-cooled 2-stroke; reed-valve inducted

TRANSMISSION

6-speed; multiplate wet clutch

FUEL CAPACITY

0.9 gal

SUSPENSION/FRONT

KYB® inverted fork; fully adjustable, 8.5-in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 10.6-in travel

TIRES/FRONT

60/100-14 Maxxis® Maxxcross SI

TIRES/REAR

80/100-12 Maxxis® Maxxcross SI

FEATURES

Adjustable Chassis
Potent 65cc Motocrosser
YPVS™ Powerplant
Adjustable Ergonomics
Aggressive YZ Family Styling

MOTOCROSS ACCESSORIES



GYTR® RADIATOR BRACES

Constructed of lightweight aluminum for an optimized strength-to-weight ratio. Thinner and lighter material is possible due to the rolled edges that provide extra strength. Structural ribs run along the sides of the braces to limit radiator damage from side impact. All required mounting hardware included. No trimming of the plastics is required to install.

SKU #BHR-E24C0-V0-00



GYTR® HIGH-FLOW AIR FILTER

Filter is washable and reusable.

This accessory is restricted to

closed-course competition use.

SKU #BHR-E41C0-V0-00

competition use only.

Performance, high-flow, 2-layer foam filter

optimizes filtration while maximizing airflow.

See inside back cover of this catalog for California Regulations regarding Emission-Related Parts and Accessories for products for closed-course

GYTR® HYDRAULIC CLUTCH

The GYTR® Hydraulic Clutch Kit is specially tuned to optimize disengagement zone, decrease lever load and minimize maintenance. Self-adjusts to clutch heat and wear in all conditions to eliminate the need for manual clutch lever adjustment.

SKU #BHR-F63A0-V0-00



The GYTR® YZ125 Performance Kit is a comprehensive bolt-on engine kit developed for racers looking to increase power and improve throttle response while maintaining strict Yamaha reliability standards.

GYTR® YZ125 HIGH PERFORMANCE KIT

This accessory is restricted to closed-course competition use.

SKU #B4X-E9500-V0-00



GYTR® FLYWHEEL

This complete flywheel assembly features an increase in inertia mass that smoothes the power delivery. Helps get power to the ground and keep your momentum up through corners and tricky sections. Easy to install, allowing you the opportunity to change flywheels for different types of riding.

SKU #GYT-5NX97-50-50





450cc liquid-cooled DOHC 4-stroke; 4 titanium valves

TRANSMISSION

5-speed; multiplate wet clutch

FUEL CAPACITY

2.1 gal

SUSPENSION/FRONT

KYB® spring-type fork with speed sensitive damping; fully adjustable, 11.8-in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 12.0-in travel

TIRES/FRONT

80/100-21 Dunlop® Geomax MX33F

TIRES/REAR

120/90-18 Dunlop® Geomax MX33

FEATURES

All-New 450cc Four-Stroke Engine
All-New Aluminum Bilateral Beam Frame
New Compact Lightweight Clutch
New Wide-Ratio Five-Speed Transmission
New Yamaha Power Tuner App
Revised Suspension with Toolless Fork Adjustment
Slimmer Body & Improved Ergos
Class-Leading Suspension
High Performance Braking System





250cc liquid-cooled DOHC 4-stroke; 4 titanium valves

TRANSMISSION

6-speed; multiplate wet clutch

FUEL CAPACITY

2.2 gal

SUSPENSION/FRONT

KYB® spring-type fork with speed sensitive damping; fully adjustable, 12.2-in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 12.5-in travel

TIRES/FRONT

80/100-21 Dunlop® Geomax MX33F

TIRES/REAR

110/100-18 Dunlop® Geomax MX33

FEATURES

Tuned for Cross Country
High Performance Four-Stroke Engine
High-Spec Braking Components
Innovative Yamaha Power Tuner App
Out-of-the-Box Hare Scramble/GNCC® Racer
Precisely Tuned Chassis
Selectable Fuel Maps
Sharp, Durable Graphics Scheme
Easy Servicing
Sealed O-Ring Chain

249cc liquid-cooled 2-stroke; reed-valve inducted

TRANSMISSION

Constant-mesh 5-speed; multiplate wet clutch

FUEL CAPACITY

1.8 gal

SUSPENSION/FRONT

KYB® Speed-Sensitive System inverted fork; fully adjustable, 11.8-in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 12.4-in travel

TIRES/FRONT

80/100-21 Dunlop® Geomax MX33F

TIRES/REAR

110/100-18 Dunlop® Geomax MX33

FEATURES

Advanced Motocross-Derived Chassis
Bold YZ Styling
Exceptional Ergonomics
GNCC®-Specific Features
High Performance Brake System
Two-Stroke Power: Tuned for Enduro Racing
Cross Country Ergonomics









125cc liquid-cooled 2-stroke; reed-valve inducted

TRANSMISSION

6-speed; multiplate wet clutch

FUEL CAPACITY

1.8 gal

SUSPENSION/FRONT

KYB® Speed-Sensitive System inverted fork; fully adjustable, 11.8-in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 12.4-in travel

TIRES/FRONT

80/100-21 Dunlop® Geomax MX33F

TIRES/REAR

110/100-18 Dunlop® Geomax MX33

FEATURES

Bold YZ Styling
GNCC®-Specific Features
High Performance Braking System
Industry-Leading Suspension
Lightweight Aluminum Frame
Two-Stroke Power: Tuned for Enduro Racing
Cross Country Ergonomics



4 titanium valves

450cc liquid-cooled DOHC 4-stroke;

TRANSMISSION

5-speed; multiplate wet clutch

FUEL CAPACITY

2.0 gal

SUSPENSION/FRONT

KYB® spring-type fork with speed sensitive damping; fully adjustable, 11.8 in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 12.0 in travel

TIRES/FRONT

80/100-21 Dunlop® Geomax MX33F

TIRES/REAR

120/90-18 Dunlop® Geomax MX33

FEATURES

All-New 450cc Four-Stroke Engine
All-New Aluminum Bilateral Beam Frame
Lightweight Rear Wheel Assembly
New Compact Lightweight Clutch
New Wide-Ratio Five-Speed Transmission
Revised Suspension with Toolless Fork Adjustment
Slimmer Body & Improved Ergos
High Performance Braking System

250cc liquid-cooled DOHC 4-stroke; 4 titanium valves

TRANSMISSION

6-speed; multiplate wet clutch

FUEL CAPACITY

2.1 gal

SUSPENSION/FRONT

KYB® spring-type fork with speed sensitive damping; fully adjustable, 12.2 in travel

SUSPENSION/REAR

KYB® single shock; fully adjustable, 12.5 in travel

TIRES/FRONT

80/100-21 Dunlop® MX3S

TIRES/REAR

110/100-18 Dunlop® MX3S

FEATURES

Easy Servicing
Multi-Function Display
Enduro Competition Features
High Performance Four-Stroke Engine
High-Spec Braking Components
Precisely Tuned Chassis
Sharp, Durable Graphics Scheme



CROSS COUNTRY ACCESSORIES





YZ450FX RADIATOR FAN KIT

The GYTR® Radiator Fan adds extra engine cooling capacity in muddy, technical, or extreme cross-country conditions for enhanced engine performance and prolonged life.

SKU #BNL-E24E0-V0-00

GYTR® HIGH-FLOW AIR FILTER

Performance, high-flow, 2-layer foam filter optimizes filtration while maximizing airflow. Filter is washable and reusable.

This accessory is restricted to

This accessory is restricted to closed-course competition use.

SKU #GYT-4EW95-00-00

GYTR® COMPETITION KIT

The GYTR® Competition Kit replaces the stock ECU and includes a modified throttle stop to allow full throttle operation and unrestricted engine performance for closed course racing competitions.

This accessory is restricted to closed-course competition use.

SKU #BAK-E9500-T0-00

See inside back cover of this catalog for California Regulations regarding Emission-Related Parts and Accessories for products for closed-course competition use only.





YZ125/YZ250 RADIATOR BRACE

The GYTR® Radiator Braces are designed to provide additional support and strength to limit radiator damage from side impact.

SKU #B4X-E24C0-V0-00

GYTR® BILLET IGNITION COVER

The GYTR® Ignition Cover is engineered to offer an exceptional level of strength and protection with a slimmer profile. Developed in conjunction with race teams, both timing plugs have been removed to create a simple more compact design that is less prone to damage.

SKU #BHR-E54G0-V0-00







223cc air-cooled SOHC 4-stroke; 2 valves

TRANSMISSION

Constant-mesh 6-speed; multiplate wet clutch

FUEL CAPACITY

2.1 gal

SUSPENSION/FRONT

Telescopic fork; 9.4-in travel

SUSPENSION/REAR

Single shock; 8.7-in travel

TIRES/FRONT

80/100-21

TIRES/REAR

100/100-18

FEATURES

Broad, Accessible Powerband
Convenient Electric Start
Racing-Derived Ergonomics
Robust, Compact Frame
Trail-Ready Dimensions
Comfortable Saddle
Fork Protection
Grippy Foot Pegs
Racing Styling





124cc Air-cooled SOHC 4-stroke; 4 valves

TRANSMISSION

Constant-mesh 5-speed; multiplate wet clutch

FUEL CAPACITY 1.6 gal SUSPENSION/FRONT

31mm telescopic fork, adjustable preload; 7.1-in travel

SUSPENSION/REAR

Single shock, adjustable compression and rebound; 6.6-in travel

TIRES/FRONT 70/100-19

TIRES/REAR 90/100-16

FEATURES

Accessible Performance
Low Seat Height
Fork Protection
Grippy Foot Pegs
Low Seat Height
Racing Style

110cc air-cooled SOHC 4-stroke; 2 valves

TRANSMISSION

Constant-mesh 4-speed; multiple wet clutch

FUEL CAPACITY

1.0 gal

SUSPENSION/FRONT

31mm telescopic fork; 4.5-in travel

SUSPENSION/REAR

Monocross® shock; 4.3-in travel

TIRES/FRONT

2.50-14-4PR

TIRES/REAR

3.00-12-4PR

FEATURES

Accessible Performance
Auto-Clutch Convenience
Electric Starter
Low Seat Height
Grippy Foot Pegs
Racing Style
Standard Security





49cc air-cooled SOHC 4-stroke; 2 valves

TRANSMISSION

Constant-mesh 3-speed; automatic clutch

FUEL CAPACITY

0.8 gal

SUSPENSION/FRONT

Telescopic fork; 3.8-in travel

SUSPENSION/REAR

Single shock; 2.8-in travel

TIRES/FRONT 2.50-10-4PR

TIRES/REAR 2.50-10-4PR

FEATURES

Accessible Performance
Advanced Suspension
Convenient Electric Start
Robust Final Drive
Ultra-Low Seat Height
Adjustable Restrictor
Folding Side Stand
Grippy Foot Pegs
Racing Style
Standard Security



49cc air-cooled 2-stroke; reed-valve induction

TRANSMISSION

Wet centrifugal automatic

FUEL CAPACITY

0.5 gal

SUSPENSION/FRONT

26mm telescopic fork; 2.4-in travel

SUSPENSION/REAR

Unit swingarm; 2.0-in travel

TIRES/FRONT

2.50-10-4PR


TIRES/REAR

2.50-10-4PR

FEATURES

Adjustable Restrictor
Entry-Level Two-Stroke Engine
Fully Automatic Transmission
Low Maintenance Requirements
Ultra-Low Seat Height
Comfortable Saddle
Grippy Foot Pegs
Racy Styling

TRAIL ACCESSORIES



TT-RIIO GLIDE PLATE

The GYTR® Glide Plate helps glide your bike over obstacles. In addition, the plates provide added protection for the lower frame and engine components.

SKU #GYT-5B634-00-AL

GYTR® JET

Adjust your stock carburetor for riding conditions with this GYTR® Jet Kit.

Designed to be used in conjunction with the GYTR® High Flow Air Filter.

This accessory is restricted to closed-course competition use.

SKU #GYT-5B698-00-00

YAMAHA

GYTR® CROSSBAR PAD

Designed for handlebars with crossbar. Printed on scratch resistant, 15 mil. vinyl featuring the Yamaha logo. Fits all Off-Road Motorcycles with 7/8" handlebars. 11" long.

SKU #GYT-CROSS-BR-02

MINI CROSSBAR PAD

Printed on scratch resistant, 15-mil. vinyl, featuring the Factory Racing logo. Fits all Off-Road Motorcycles with 7/8" handlebars. 7.25" long.

SKU #GYT-5HP25-78-BL





GYTR® HIGH FLOW AIR FILTER

The GYTR® TT-R High Flow Air Filter was developed to be used with or without the Performance Carburetor Kit (discontinued). GYTR® Jet Kit recommended with filter installation on stock carburetor. Pre-filter included.

This accessory is restricted to closed-course competition use.

Fits' 08-'24 TT-R110E SKU #GYT-5B695-00-00 (for stock carb configuration)

Fits' 08-'24 TT-R110E SKU #GYT-5B695-10-00 (for performance carb configuration)



GYTR® HIGH FLOW AIR FILTER

The GYTR® TT-R High Flow Air Filter was developed to be used with the stock carburetor. GYTR® Jet Kit recommended with filter installation. Pre-filter included. This accessory is restricted to closed-course competition use.

Fits' 06-'24 TT-R50E SKU #GYT-1P695-01-00

See inside back cover of this catalog for California Regulations regarding Emission-Related Parts and Accessories for products for closed-course competition use only.





999cc liquid cooled, 4-stroke, DOHC, 4-valve

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY

9.2 gal

SUSPENSION/FRONT

Independent double wishbone with anti-sway bar, FOX® iQS piggyback shocks; 14.2-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar, FOX® iQS piggyback shocks; 13.3-in travel

TIRES/FRONT

29 x 9.00R-14 Maxxis® Carnage

TIRES/REAR

29 x 11.00R-14 Maxxis® Carnage

FEATURES

Three D-Modes
Advanced, Comfort-Focused iQS Suspension
Aggressive Wolverine Styling
Integrated Adventure Pro
Interior Lighting
Off-Road Ready
Powerful 999cc Parallel Twin Engine
Roomy Four-Person Cabin
Upgraded Factory-Installed Stereo
Versatility for Cargo





999cc liquid cooled, 4-stroke, DOHC, 4-valve

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY

9.2 gal

SUSPENSION/FRONT

Independent double wishbone with anti-sway bar, FOX® QS3 piggyback shocks; 14.2-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar, FOX® QS3 piggyback shocks; 13.3-in travel

TIRES/FRONT

29 x 9.00R-14 Maxxis® Carnage

TIRES/REAR

29 x 11.00R-14 Maxxis® Carnage

FEATURES

Three D-Modes
Advanced, Comfort-Focused Suspension
Aggressive Wolverine Styling
Factory-Installed SSV Stereo System
Integrated Adventure Pro
Interior Lighting
Off-Road Ready
Powerful 999cc Parallel Twin Engine
Roomy Four-Person Cabin
Versatility for Cargo
XT-R Package







999cc Liquid Cooled, 4-Stroke, DOHC 4-Valve

TRANSMISSION

Ultramatic V-Belt with all-wheel engine braking; L,H,N,R

FUEL CAPACITY

9.2 gal

SUSPENSION/FRONT

Independent double wishbone with anti-sway bar, FOX® QS3 piggyback shocks; 14.2-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar, FOX® QS3 piggyback shocks; 13.3-in travel

TIRES/FRONT

AT29 x 9-14 GBC® Dirt Commander

TIRES/REAR

AT29 x 11-14 GBC® Dirt Commander

FEATURES

Advanced, Comfort-Focused Suspension Aggressive Wolverine Styling Powerful 999cc Parallel Twin Engine Roomy Four-Person Cabin Versatility for Cargo

999cc liquid cooled, 4-stroke, DOHC, 4-valve

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY

9.2 gal

SUSPENSION/FRONT

Independent double wishbone with anti-sway bar, FOX® iQS piggyback shocks; 14.2-in travel

SUSPENSION/REAR

Independent double wishbone, FOX® iQS piggyback shocks; 16.9-in travel

TIRES/FRONT

30 x 10.00R-14 Maxxis® Carnivore

TIRES/REAR

30 x 10.00R-14 Maxxis® Carnivore

FEATURES

Three D-Modes
Advanced, Comfort-Focused iQS Suspension
Aggressive Wolverine Styling
Factory-Installed Stereo
Integrated Adventure Pro
Interior Lighting
Off-Road Ready
Powerful 999cc Parallel Twin Engine
Versatile Cargo Bed





999cc liquid cooled, 4-stroke, DOHC, 4-valve

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY

9.2 gal

SUSPENSION/FRONT

Independent double wishbone with anti-sway bar, FOX® QS3 piggyback shocks; 14.2-in travel

SUSPENSION/REAR

Independent double wishbone, FOX® QS3 piggyback shocks; 16.9-in travel

TIRES/FRONT

30 x 10.00R-14 Maxxis® Carnivore

TIRES/REAR

30 x 10.00R-14 Maxxis® Carnivore

FEATURES

Three D-Modes
Advanced, Comfort-Focused Suspension
Aggressive Wolverine Styling
Beadlock Wheels
Integrated Adventure Pro
Interior Lighting
Off-Road Ready
Powerful 999cc Parallel Twin Engine
Versatile Cargo Bed
XT-R Package
Factory Installed Stereo

999cc liquid cooled, 4-stroke, DOHC, 4-valve

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY

9.2 gal

SUSPENSION/FRONT

Independent double wishbone with anti-sway bar, FOX® QS3 piggyback shocks; 14.2 in travel

SUSPENSION/REAR

Independent double wishbone, FOX® QS3 piggyback shocks; 16.9-in travel

TIRES/FRONT

AT30 x 10-14 GBC® Dirt Commander 2.0

TIRES/REAR

AT30 x 10-14 GBC® Dirt Commander 2.0

FEATURES

Advanced, Comfort-Focused Suspension
Aggressive Wolverine Styling
Powerful 999cc Parallel Twin Engine
Versatile Cargo Bed
Terrain-Tackling Chassis
Comfort Suntop
Heavy Duty Three-Piece Door Design
Stealthy LED Lights





999cc liquid cooled, 4-stroke, DOHC, 4-valve

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY

9.2 gal

SUSPENSION/FRONT

Independent double wishbone with anti-sway bar, FOX® 2.0 piggyback shocks with pre-load, high/low speed compression adjustability; 14.2-in travel

SUSPENSION/REAR

Independent double wishbone, FOX® 2.0 piggyback shocks with pre-load, high/low speed compression adjustability; 16.9-in travel

TIRES/FRONT

30 x 10.00R-14 GBC® Terra Master

TIRES/REAR

30 x 10.00R-14 GBC® Terra Master

FEATURES

Three D-Modes
Advanced, Sport-Focused Suspension
Aggressive Sport Styling
Beadlock Wheels
GBC® Terra Master Tires
Interior Lighting
Off-Road Ready
Powerful 999cc Parallel Twin Engine
Premium Sport Interior





999cc liquid cooled, 4-stroke, DOHC, 4-valve

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY

9.2 gal

SUSPENSION/FRONT

Independent double wishbone with anti-sway bar; SACHS® ZF piggyback shocks with compression and preload adjustability; 13.3-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar; SACHS® ZF piggyback shocks with compression and preload adjustability; 15.5-in travel

TIRES/FRONT

28 x 10.00R-14 Maxxis® Bighorn

TIRES/REAR

28 x 10.00R-14 Maxxis® Bighorn

FEATURES

Adventure Pro® & Yamaha D-Mode Ready
All-new Suspension for Ultimate Comfort
& Capability

All-New Versatile & Compact-Feeling Side-by-Side Compact & Nimble Chassis Potent 999cc Twin-Cylinder Powerplant Premium Wheels & Tires RMAX 1000-Inspired Automotive-Style Interior

Yamaha's Core Technologies



999cc liquid cooled, 4-stroke, DOHC, 4-valve

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY

9.2 gal

SUSPENSION/FRONT

Independent double wishbone with anti-sway bar; SACHS® ZF piggyback shocks with compression and preload adjustability; 13.3-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar; SACHS® ZF piggyback shocks with compression and preload adjustability; 15.5-in travel

TIRES/FRONT

28 x 10.00R-14 Maxxis® Bighorn

TIRES/REAR

28 x 10.00R-14 Maxxis® Bighorn

FEATURES

Adventure Pro® & Yamaha D-Mode Ready All-New Suspension for Ultimate Comfort & Capability

All-New Versatile & Compact-Feeling Side-by-Side Compact & Nimble Chassis Potent 999cc Twin-Cylinder Powerplant Premium Wheels & Tires

RMAX 1000-Inspired Automotive-Style Interior XT-R Package

Yamaha's Core Technology

847cc parallel-twin, liquid-cooled, DOHC; 4 valves

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY

9.2 gal

SUSPENSION/FRONT

Independent double wishbone with anti-sway bar, fully adjustable KYB® piggyback shocks; 8.7-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar, self-adjusting shock absorbers; 9.3-in travel

TIRES/FRONT

AT27 x 9-12 GBC® Dirt Commander

TIRES/REAR

AT27 x 11-12 GBC® Dirt Commander

FEATURES

Advanced Suspension System
Aggressive Wolverine Style
Enhanced Comfort
Extreme Terrain Tires
Potent 847cc Twin-Cylinder Powerplant
Real World Tech
XT-R Package



WOLVERINE X4 850 R-SPEC







ENGINE TYPE

847cc parallel-twin, liquid-cooled, DOHC; 4 valves

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY

9.2 gal

SUSPENSION/FRONT

Independent double wishbone with anti-sway bar, fully adjustable KYB® piggyback shocks; 8.7-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar, fully adjustable KYB® piggyback shocks; 9.3-in travel

TIRES/FRONT

AT27 x 9-12 GBC® Dirt Commander

TIRES/REAR

AT27 x 11-12 GBC® Dirt Commander

FEATURES

Advanced Suspension System
Aggressive Wolverine Style
Comfort Ergonomics with Room for Four
Extreme Terrain Tires
Potent 847cc Twin-Cylinder Powerplant
Real World Tech

WOLVERINE XZ 850 R-SPEC







ENGINE TYPE

847cc parallel-twin, liquid cooled, 4-stroke, DOHC, 4-valve

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY

9.2 gal

SUSPENSION/FRONT

Independent double wishbone with anti-sway bar, fully adjustable KYB® piggyback shocks; 8.7-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar, fully adjustable KYB® piggyback shocks; 9.3-in travel

TIRES/FRONT

AT27 x 9-12 GBC® Dirt Commander

TIRES/REAR

AT27 x 11-12 GBC® Dirt Commander

FEATURES

Adventure Pro Ready
Aggressive Wolverine Style
Extreme Terrain Tires
Potent 847cc Twin-Cylinder Powerplant
Real World Tech
Spacious, Flexible Ergonomics



847cc parallel-twin, liquid-cooled, 4-stroke, DOHC, 4-valve

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY

9.2 gal

SUSPENSION/FRONT

Independent double wishbone with anti-sway bar, fully adjustable KYB® piggyback shocks; 8.7-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar, fully adjustable KYB® piggyback shocks; 9.3-in travel

TIRES/FRONT

AT27 x 9-12 GBC® Dirt Commander

TIRES/REAR

AT27 x 11-12 GBC® Dirt Commander

FEATURES

Adventure Pro Ready
Aggressive Wolverine Style
Potent 847cc Twin-Cylinder Powerplant
Real World Tech
Spacious, Flexible Ergonomics
XT-R Package

RECREATION ACCESSORIES



WOLVERINE BED EXTENDER The Wolverine Bed Extende

The Wolverine Bed Extender fits all 2018 and older models. Solid steel construction provides 8 additional tie down points as well as additional storage area.

SKU #B4J-F84CA-V0-00



The new Bed Rack fits all Wolverine RMAX2 1000 models. Solid steel construction provides 44% more cargo space above the bed, reinforced whip flag mounts, integrated pod light mounts, and integrated MOLLE pattern for additional side storage.

SKU #B4M-F48A0-V0-00

WOLVERINE DOOR STORAGE BAGS

The new Wolverine Door Storage Bags provide convenient storage inside your Wolverine's cab. Rugged, water-resistant tarpaulin provides excellent durability. 24 ounce capacity per bag.

SKU #B4J-F17V0-V0-00





WOLVERINE WIND DEFLECTOR

SKU #B4M-F62A0-V0-00

The new 3D-formed Half Polycarbonate Wind Deflector provides smooth airflow while complementing the quality look and feel of the Wolverine Side-by-Side lineup.

SKU #B4J-F83M0-V0-00







998cc liquid-cooled DOHC inline 3-cylinder; 12 valves

TRANSMISSION

Yamaha Sport Shift with Yamaha Auto Shift Technology and Auto Clutch; 6-speed sequential with reverse

FUEL CAPACITY

9.0 gal

SUSPENSION/FRONT

Independent double wishbone w/ anti-sway bar, fully adjustable FOX® 2.5 Podium® RC2 Dual Spring shocks w/adjustable crossover; 16.2-in travel

SUSPENSION/REAR

Independent double wishbone w/ anti-sway bar, fully adjustable FOX® 2.5 Podium® RC2 Dual Spring shocks w/adjustable crossover; 17.0-in travel

TIRES/FRONT

29 x 9.00R-14 Maxxis® Carnage™

TIRES/REAR

29 x 11.00R-14 Maxxis® Carnage™

FEATURES

All-New Yamaha Auto-Shift Technology
Enhanced Clutch Setup
Enhanced Six-Speed Transmission
Higher Electrical Output for Accessorization
Driver-Focused Ergonomics
Industry-exclusive 3-Cylinder Powerplant
Fully-Adjustable FOX® Shocks
XT-R Package

998cc liquid-cooled DOHC inline 3-cylinder; 12 valves

TRANSMISSION

Yamaha Sport Shift, paddle shift with auto clutch; 6-speed sequential with reverse

FUEL CAPACITY

9.0 gal

SUSPENSION/FRONT

Independent double wishbone w/ anti-sway bar, fully adjustable FOX® 2.5 Podium® RC2 Dual Spring shocks w/adjustable crossover; 16.2-in travel

SUSPENSION/REAR

Independent double wishbone w/ anti-sway bar, fully adjustable FOX® 2.5 Podium® RC2 Dual Spring shocks w/adjustable crossover; 17.0-in travel

TIRES/FRONT

29 x 9.00R-14 Maxxis® Bighorn® M917-8PR

TIRES/REAR

29 x 11.00R-14 Maxxis® Bighorn® M918-8PR

FEATURES

All New Yamaha Auto-Shift Technology
Enhanced Clutch Setup
Enhanced Six-Speed Transmission
Higher Electrical Output for Accessorization
Driver-Focused Ergonomics
Industry-exclusive 3-Cylinder Powerplant
Fully Adjustable FOX® Shocks



YXZ1000R







ENGINE TYPE

998cc liquid-cooled DOHC inline 3-cylinder; 12 valves

TRANSMISSION

Manual foot clutch; 6-speed sequential with reverse

FUEL CAPACITY

9.0 gal

SUSPENSION/FRONT

Independent double wishbone w/ anti-sway bar, fully adjustable FOX® 2.5 Podium® RC2 Dual Spring shocks w/adjustable crossover; 16.2-in travel

SUSPENSION/REAR

Independent double wishbone w/ anti-sway bar, fully adjustable FOX® 2.5 Podium® RC2 Dual Spring shocks w/adjustable crossover; 17.0-in travel

TIRES/FRONT

29 x 9.00R-14 Maxxis® Bighorn® M917-8PR

TIRES/REAR

29 x 11.00R-14 Maxxis® Bighorn® M918-8PR

FEATURES

New Enhanced Six-Speed Manual Transmission Increased Accessory Integration Driver-Focused Ergonomics Industry-exclusive 3-Cylinder Powerplant Fully Adjustable FOX® Shocks

PURE SPORT ACCESSORIES



YXZ1000R/SS REAR CARGO BOX

Built tough, YXZ1000R/SS Rear Cargo Box is a water and dust resistant to secure your gear. Capacity is 4.5 cubic feet.

SKU #B5H-F83P0-V0-00



YXZ1000R/SS REAR WINDOW

This Rear Window is made of SurLast 600D all-weather, mildew, and fade-resistant fabric with a clear polished vinyl window that will not yellow over time. Our window will provide years of added protection from wind, rain and debris.

SKU #B5H-K750A-V0-00



YXZ1000R/SS AUDIO SYSTEM

Yamaha and SSV Works collaborated on the design for this Overhead Audio System for the YXZ1000R™. Designed to withstand harsh conditions, the system preserves valuable cargo space by mounting two speakers overhead with audio controls in the dash.

SKU #B5H-H81C0-V0-00



YXZ1000R/SS FOLDING WINDSHIELD

The YXZ1000R™ Folding Windshield provides protection and versatility for changing weather conditions all thanks to its convenient folding design. Fold the hard-coated polycarbonate panels up, down, or simply tip-out for various climate conditions.

SKU #B5H-F83J0-V0-00



GYTR® YXZ HARNESS AND MOUNT

Everything you need to install the GYTR® 4-Point Harness on the driver and passenger seats with one, convenient kit.

SKU #B5H-F47K0-S0-00





686cc liquid-cooled SOHC 4-stroke; 4 valves

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY

9.7 gal

SUSPENSION/FRONT

Independent double wishbone; 8.1-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar; 8.1-in travel

TIRES/FRONT

AT25 x 8-12

TIRES/REAR

AT25 x 10-12

FEATURES

High Volume Intake
On-Command® 4WD
Ranch Edition Features
Responsive & Reliable Ultramatic® Transmission
Room for Six
Roomy Cabin & Cargo Capacity
Torquey 700-Class Engine

VIKING VI EPS







ENGINE TYPE

686cc liquid-cooled SOHC 4-stroke; 4 valves

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY

9.7 gal

SUSPENSION/FRONT

Independent double wishbone; 8.1-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar; 8.1-in travel

TIRES/FRONT

AT25 x 8-12

TIRES/REARAT25 x 10-12

FEATURES

On-Command® 4WD

Responsive & Reliable Ultramatic® Transmission

Room for Six

Roomy Cabin & Cargo Capacity

Torquey 700-Class Engine

VIKING EPS RANCH EDITION







ENGINE TYPE

686cc liquid-cooled SOHC 4-stroke; 4 valves

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY

9.7 gal

SUSPENSION/FRONT

Independent double wishbone; 8.1-in travel

SUSPENSION/REAR

Independent double wishbone; 8.1-in travel

TIRES/FRONT

AT25 x 8-12

TIRES/REAR

AT25 x 10-12

FEATURES

Six-Seat Cabin

Extensive Cargo Capacity

High Volume Intake

On-Command ® 4WD

Ranch Edition Features

ranon Lamon i catales

Responsive & Reliable Ultramatic® Transmission

Torquey 700-Class Engine





686cc liquid-cooled SOHC 4-stroke; 4 valves

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; L, H, N, R

FUEL CAPACITY 9.7 gal

SUSPENSION/FRONT

Independent double wishbone; 8.1-in travel

SUSPENSION/REAR

Independent double wishbone; 8.1-in travel

TIRES/FRONT AT25 x 8-12

FEATURES

TIRES/REAR AT25 x 10-12

Comfortable Three-Seat Cabin Extensive Cargo Capacity High Volume Intake On-Command ® 4WD

Responsive & Reliable Ultramatic® Transmission Torquey 700-Class Engine

ACCESSORIES



VIKING FOLDING WINDSHIELD

The Viking Folding Windshield provides protection and versatility when conditions change thanks to its handy folding design.

SKU #1XD-F83J0-V0-00

VIKING STORAGE COVER

The Viking 3-Seater Storage Cover provides full coverage and protection when not using. Made from tough and durable, 300 denier and solution-dyed poly and poly thread lock stitching. Cover has screened Yamaha logos and 3/4" polypropylene webbing and side-release buckles.

SKU #1XD-F81A0-V0-00

VIKING REAR WINDOW

The Rear Window is made of SurLast ® 70 all-weather, mildew and fade-resistant fabric with a clear 20-gauge polished vinyl window that will not yellow over time. Our window will provide years of added protection from wind, rain, and backwoods debris like brush and leaves.

SKU #2PG-K750A-V0-00



VIKING VI HARD SUN TOP

This durable sun top is designed to withstand the harshest conditions and protects passengers from sun, rain, branches and other brush.

SKU #2PG-K84A0-V0-00

VIKING VI SOFT SIDE COVERS

The Viking VI Soft Side Cover Protects occupants from rain, wind, mud and light trail debris.

SKU #2PG-F17J0-V0-00





686cc liquid-cooled SOHC 4-stroke; 4 valves

TRANSMISSION

5-speed w/reverse; wet multiplate clutch

FUEL CAPACITY

2.9 gal

SUSPENSION/FRONT

Independent double wishbone with piggyback high/low-speed compression, rebound and threaded preload adjustment, 9.1-in travel

SUSPENSION/REAR

Cast aluminum swingarm with piggyback high/ low-speed compression, rebound and threaded preload adjustment, 10.1-in travel

TIRES/FRONT

AT22 x 7-10 Maxxis®

TIRES/REAR

AT20 x 10-9 Maxxis®

FEATURES

Advanced Chassis
Advanced Suspension
Aggressive SE Style
Big-Bore Power
Rider-Friendly Features

686cc liquid-cooled SOHC 4-stroke; 4 valves

TRANSMISSION

5-speed w/reverse; wet multiplate clutch

FUEL CAPACITY 2.9 gal

SUSPENSION/FRONT

Independent double wishbone with piggyback high/low-speed compression, rebound and threaded preload adjustment, 9.1-in travel

SUSPENSION/REAR

Cast aluminum swingarm with piggyback high/ low-speed compression, rebound and threaded preload adjustment, 10.1-in travel

TIRES/FRONTAT22 x 7-10 Maxxis®

TIRES/REAR AT20 x 10-9 Maxxis®

FEATURES

Advanced Chassis
Advanced Suspension
Aggressive Style
Big-Bore Power
Rider-Friendly Features



RAPTOR 700







ENGINE TYPE

686cc liquid-cooled SOHC 4-stroke; 4 valves

TRANSMISSION

5-speed w/reverse; wet multiplate clutch

FUEL CAPACITY

2.9 gal

SUSPENSION/FRONT

Independent double wishbone and 5-way preload adjustment, 9.1-in travel

SUSPENSION/REAR

Cast aluminum swingarm with preload adjustable shock, 10.1-in travel

TIRES/FRONT

AT22 x 7-10 Maxxis®

TIRES/REAR

AT20 x 10-9 Maxxis®

FEATURES

Advanced Chassis
Advanced Suspension
Aggressive Style
Big-Bore Power
Rider-Friendly Features



449cc liquid-cooled DOHC 4-stroke; 5 titanium valves

TRANSMISSION

5-speed; wet multiplate assist-and-slipper clutch

FUEL CAPACITY

2.6 gal

SUSPENSION/FRONT

Independent double wishbone with Kashima coated piggyback shocks; high/low speed compression, rebound and threaded preload adjustment, 9.8-in travel

SUSPENSION/REAR

Cast aluminum swingarm with piggyback shock; high/low speed compression, rebound and threaded preload adjustment, 11.0-in travel

TIRES/FRONT

AT21 x 7-10 Maxxis®

TIRES/REAR

AT20 x 10-9 Maxxis®

FEATURES

Advanced Cylinder Head Advanced Frame Aggressive Bodywork Aggressive SE Style Assist and Slipper Clutch Fuel Injection Race-Ready Engine



449cc liquid-cooled DOHC 4-stroke; 5 titanium valves

TRANSMISSION

5-speed; wet multiplate assist-and-slipper clutch

FUEL CAPACITY

2.6 gal

SUSPENSION/FRONT

Independent double wishbone w/ Kashima coated piggyback shocks; high/low speed compression, rebound and threaded preload adjustment, 9.8-in travel

SUSPENSION/REAR

Cast aluminum swingarm w/ piggyback shock; high/low speed compression, rebound and threaded preload adjustment, 11.0-in travel

TIRES/FRONT

AT21 x 7-10 Maxxis®

TIRES/REAR

AT20 x 10-9 Maxxis®

FEATURES

Advanced Cylinder Head Advanced Frame Aggressive Bodywork Assist and Slipper Clutch Fuel Injection Race-Ready Engine ENGINE TYPE

112cc air-cooled SOHC 4-stroke; 2 valves

TRANSMISSION CVT; F, N, R

FUEL CAPACITY
1.8 gal

SUSPENSION/FRONT Single A-arm; 5.0-in travel

SUSPENSION/REAR

Monoshock swingarm; 5.7-in travel

TIRES/FRONT AT18 x 7-8

TIRES/REAR AT 18 x 9-8

FEATURES

Comfortable Chassis
Compact, Sporty & Confidence-Inspiring
112cc Engine
Reduced Maintenance Design
Scaled Down, Not Scaled Back
Yamaha Raptor 700R DNA
New Fuel Injected 112cc Powerplant
New Indicator Lights





49cc air-cooled SOHC 4-stroke; 2 valves

TRANSMISSION CVT

FUEL CAPACITY 1.5 gal

SUSPENSION/FRONT Single I-arm; 2.4-in travel

SUSPENSION/REAR
Single shock swingarm; 2.0-in travel

TIRES/FRONTAT 16 x 6.5-7

TIRES/REAR AT 16 x 7-7

FEATURES

Beginner-Friendly Four-Stroke Performance Comfortable Chassis Reduced Maintenance Design Yamaha Sport ATV DNA

SPORT ACCESSORIES



REAR GRAB BAR

The Rear Grab Bar is made of special ball-burnished aluminum tube construction. Flag/whip mounting tab is included.

SKU #GYT-1S341-00-BK



GYTR® AIR FILTER ADAPTOR PLATE

SKU #18P-E41E0-V0-00

The GYTR® Billet Air Filter Adaptor Plate is

use of our GYTR® High Flow Air Filter.

made from 6061-T6 billet aluminum. Allows the

SPORT ATV COVER

The Yamaha Sport ATV Cover helps protect your ATV while in storage. Storage bag included.

SKU #18P-F81A0-V0-00





The "Bull Horn" design helps protect the shocks and radiator while offering a large hand hold to maneuver the machine in mud.

SKU #18P-F84L0-S0-00

standard aluminum skid plates and helps components. The plate provides a smooth,

SKU #18P-F84N0-U0-00





686cc liquid-cooled SOHC 4-stroke

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; H, L, N, R, P

FUEL CAPACITY

4.8 gal

SUSPENSION/FRONT

Independent double wishbone; 5-way preload adjustment, 7.6-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar; 5-way preload adjustment, 9.1-in travel

TIRES/FRONT

AT27 x 10-14 Maxxis® 'Zilla MU01

TIRES/REAR

AT27 x 10-14 Maxxis® 'Zilla MU01

FEATURES

Big-Bore XT-R Grizzly
Class-Leading Power Steering
High Performance Ultramatic® Transmission
Trail-Ready Chassis
XT-R Edition
Yamaha's Exclusive On-Command® 4WD







686cc liquid-cooled SOHC 4-stroke

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; H, L, N, R, P

FUEL CAPACITY 4.8 gal

SUSPENSION/FRONT

Independent double wishbone; 5-way preload adjustment, 7.6-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar; 5-way preload adjustment, 9.1-in travel

TIRES/FRONT

AT27 x 10-14 Maxxis® Zilla MU01

TIRES/REAR

AT27 x 10-14 Maxxis® Zilla MU01

FEATURES

Big-Bore Engine Designed For Trail Riding
Class-Leading Power Steering
High Performance Ultramatic® Transmission
Special Edition Features
Trail-Ready Chassis
Yamaha's Exclusive On-Command® 4WD

GRIZZLY EPS







ENGINE TYPE

686cc liquid-cooled SOHC 4-stroke

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; H, L, N, R, P

FUEL CAPACITY

4.8 gal

SUSPENSION/FRONT

Independent double wishbone; 5-way preload adjustment, 7.6-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar; 5-way preload adjustment, 9.1-in travel

TIRES/FRONT

AT26 x 8-12 Maxxis® MU05Y

TIRES/REAR

AT26 x 10-12 Maxxis® MU06Y

FEATURES

Class-Leading Power Steering
High Performance Ultramatic® Transmission
Trail-Ready Chassis
Yamaha's Exclusive On-Command® 4WD

GRIZZLY EPS CAMO







ENGINE TYPE

686cc liquid-cooled SOHC 4-stroke

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; H, L, N, R, P

FUEL CAPACITY

4.8 gal

SUSPENSION/FRONT

Independent double wishbone; 5-way preload adjustment, 7.6-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar; 5-way preload adjustment, 9.1-in travel

TIRES/FRONT

AT27 x 10-14 Maxxis® 'Zilla MU01

TIRES/REAR

AT27 x 10-14 Maxxis® 'Zilla MU01

FEATURES

Class-Leading Power Steering
High Performance Ultramatic® Transmission
Trail-Ready Chassis
Yamaha's Exclusive On-Command® 4WD



90cc air-cooled SOHC 4-stroke; 2 valves

TRANSMISSION

Continuously Variable Transmission; F, N, R

FUEL CAPACITY

1.7 gal

SUSPENSION/FRONT

Single A-arm; 5.0-in travel

SUSPENSION/REAR

Monoshock swingarm; 5.7-in travel

TIRES/FRONT

AT19 x 7-8

TIRES/REAR

AT18 x 9-8

FEATURES

Comfortable Chassis
Confidence-Inspiring 90cc Engine
Reduced Maintenance Design

686cc liquid-cooled SOHC 4-stroke

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; H, L, N, R, P

FUEL CAPACITY

4.8 gal

SUSPENSION/FRONT

Independent double wishbone; 5-way preload adjustment, 7.1-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar; 5-way preload adjustment, 9.1-in travel

TIRES/FRONT

AT25 x 8-12 Maxxis® MU19

TIRES/REAR

AT25 x 10-12 Maxxis® MU20

FEATURES

Big-Bore Engine Built to Tackle the Real World Class-Leading Power Steering Compact Ergonomics High Performance Ultramatic® Transmission Special Edition Features Trail-Ready Chassis Yamaha's Exclusive On-Command® 4WD



KODIAK 700 EPS







ENGINE TYPE

686cc liquid-cooled SOHC 4-stroke

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; H, L, N, R, P

FUEL CAPACITY

4.8 gal

SUSPENSION/FRONT

Independent double wishbone; 5-way preload adjustment, 7.1-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar; 5-way preload adjustment, 9.1-in travel

TIRES/FRONT

AT25 x 8-12 Maxxis® MU19

TIRES/REAR

AT25 x 10-12 Maxxis® MU20

FEATURES

Big-Bore Engine Built to Tackle the Real World Class-Leading Power Steering Compact Ergonomics High Performance Ultramatic® Transmission Trail-Ready Chassis Yamaha's Exclusive On-Command® 4WD

KODIAK 700







ENGINE TYPE

686cc liquid-cooled SOHC 4-stroke

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; H, L, N, R, P

FUEL CAPACITY

4.8 gal

SUSPENSION/FRONT

Independent double wishbone, 7.1-in travel

SUSPENSION/REAR

Independent double wishbone with anti-sway bar, 9.1-in travel

TIRES/FRONT

AT25 x 8-12 Maxxis® MU19

TIRES/REAR

AT25 x 10-12 Maxxis® MU20

FEATURES

Big-Bore Engine Built to Tackle the Real World Compact Ergonomics High Performance Ultramatic® Transmission Trail-Ready Chassis



421cc liquid-cooled SOHC 4-stroke; 2 valves

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; H, L, N, R, P

FUEL CAPACITY

3.7 gal

SUSPENSION/FRONT

Independent double wishbone; 6.7-in travel

SUSPENSION/REAR

Independent double wishbone; 7.4-in travel

TIRES/FRONT

AT25 x 8-12

TIRES/REAR

AT25 x 10-12

FEATURES

Compact Chassis
Factory-Installed Winch Comes Standard
Roomy Ergonomics
Ultramatic® and On-Command®

KODIAK 450 EPS







ENGINE TYPE

421cc liquid-cooled SOHC 4-stroke; 2 valves

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; H, L, N, R, P

FUEL CAPACITY

3.7 gal

SUSPENSION/FRONT

Independent double wishbone; 6.7-in travel

SUSPENSION/REAR

Independent double wishbone; 7.4-in travel

TIRES/FRONT

AT25 x 8-12

TIRES/REAR

AT25 x 10-12

FEATURES

Compact Chassis Roomy Ergonomics Ultramatic® and On-Command®

KODIAK 450







ENGINE TYPE

421cc liquid-cooled SOHC 4-stroke; 2 valves

TRANSMISSION

Ultramatic V-belt with all-wheel engine braking; H, L, N, R, P

FUEL CAPACITY

3.7 gal

SUSPENSION/FRONT

Independent double wishbone; 6.7-in travel

SUSPENSION/REAR

Independent double wishbone; 7.4-in travel

TIRES/FRONT

AT25 x 8-12

TIRES/REAR

AT25 x 10-12

FEATURES

Compact Chassis Roomy Ergonomics

Ultramatic® and On-Command®


WILLITY ACCESSORIES



DUAL ZONE ATV HEATED GRIPS

The Dual Zone ATV Heated Grips by Heat Demon® include heated grips, thumb warmer, and mountable controller that regulates heat between the thumb and grips. Controller offers five levels of heat, has multiple mounting options, and provides LED light level indicators that dim for night time use. Totals 40 watts and draws less than 3 amps. Fits all 7/8" handlebars.

SKU #DBY-ACC56-00-45





ATV OVERFENDERS

These overfenders feature a tough, aggressive look and a custom formed design that helps protect you from water, mud, and other trail debris.

SKU #B16-F15E0-V1-00

ATV FRONT BASH PLATE

Provides lightweight, durable protection for tight approaches, high stumps, or rocks on the trail.

SKU #B16-F84C0-V0-00



California Regulations Regarding Emission-Related Parts and Accessories

California law regulates on- and off-highway vehicle aftermarket parts that have the potential to impact emissions. California law prohibits the installation, sale, and on- and off-highway use of any emissions related part unless the part is (1) a replacement part, (2) a modified or add-on part that has received an exemption from the California Air Resources Board ("ARB") or (3) a part installed on a vehicle used exclusively for closed-course competition (i.e., racing).

Replacement Part

A replacement part is generally any aftermarket part intended to replace an original equipment emission related part and which is functionally identical to the original equipment part in all respects that in any way affect emissions.

Modified Part or Add-On Part

A modified part is any aftermarket part intended to replace an original equipment emissions-related part and which is not functionally identical to the original equipment part in all respects that in any way affect emissions. An add-on part is any aftermarket part which is not a modified part or a replacement part.

Closed-Course-Competition Part

A closed-course-competition part is a modified part or add-on part that has not received an exemption from the ARB. A closed-course-competition part may only be sold and installed on a vehicle that is used exclusively for closed-course competition. California dealers selling closed-course-competition parts should maintain records of the sale and/or installation, including the date of sale, purchaser name and address, vehicle information and work performed, if applicable. More information may be obtained at the ARB website - www.arb.ca.gov.



Professional riders depicted on a closed course. Motorcycle Riders: Dress property for your ride with a helmet, eye protection, riding jacket or long-sleeve shirt, long pants, gloves and boots. Some models shown are modified to a racing specification and intended for closed course circuit use only. Do not drink and ride. It is illegal and dangerous. Yamaha and the Motorcycle Safety Foundation encourage you to ride safety and respect the environment. For further information regarding the MSF course, call 1-800-446-9227. ATV Riders: YFZ50 is recommended for use only by riders 6 years and older and always with adult supervision. Raptor 700R/YFZ450R recommended for experienced riders only. All other ATV models shown are recommended for use by riders 16 years and older. Read the Owner's Manual and the product warning labels before operation. ATVs can be hazardous to operate. For your safety: Always avoid paved surfaces. Never ride on public roads. Always wear a helmet, eye protection and protective clothing; never carry passengers; never engage in sturit riding; riding and alcohol/drugs don't mix; avoid excessive speed, and be particularly careful on difficult terrain. Yamaha recommends that all ATV riders take an approved training and alcohol/drugs don't mix; avoid excessive speed, and be particularly careful on difficult terrain. Yamaha recommends that all ATV riders take an approved training information are recommended for use only by operators of the ATV Safety Institute at 1-800-887-2887. Side-by-Side Riders: Models shown are recommended for use only by operators only. For Side-by-Side safety and training information, see your dealer or call the ROHVA at 1-866-267-2751. Some models shown with optional accessories. Vehicle specifications subject to change. This document ontains many of the valuable trademarks and never commended for use only, and references to other company, brand, and product names are used herein for identification purposes only, and reference to any names, marks, products, or services of thir